

Amendment to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- Claim 1 (currently amended) An aerosol paint product comprising:
- (a) a container comprising a can, a valve cup with a valve assembly, a dip tube and an actuator; and
 - (b) an aerosol paint composition disposed within said container, said aerosol paint composition comprising:
 - at least 30 weight percent of at least one volatile organic solvent;
 - at least 10 weight percent of a resin system comprising an acrylic modified alkyd resin and an acrylic modified chlorinated polyolefin resin;
 - at least 10 weight percent of an aerosol propellant; and
 - a colorant.
- Claim 2 (original) The aerosol paint product of claim 1 wherein the propellant is selected from the group consisting of ethers, C1-C4 saturated hydrocarbons, hydrofluorocarbons, and mixtures of the foregoing.
- Claim 3 (original) The aerosol paint product of claim 1 wherein the propellant is a blend of n-butane and propane.

Claim 4 (original) The aerosol paint product of claim 1 wherein the aerosol paint composition comprises a drying agent.

Claim 5 (currently amended) The aerosol paint product of claim 1 wherein the acrylic modified alkyd resin and the acrylic modified chlorinated polyolefin resin are present at a weight solids ratio between about 9 to 1 and 1 to 9.

Claim 6 (currently amended) The aerosol paint product of claim 1 wherein the acrylic modified alkyd resin and the acrylic modified chlorinated polyolefin resin are present at a weight solids ratio between about 1.2 to 1 and 1 to 1.2.

Claim 7 (original) The aerosol paint product of claim 1 wherein the paint product is substantially free of water.

Claim 8 (original) The aerosol paint product of claim 1 wherein the paint product also comprises a light stabilizer.

Claim 9 (original) The aerosol paint product of claim 1 wherein the can is comprised of tin plated steel.

Claims 10-13 (cancelled)

Claim 14 (currently amended) A process of coating a substrate, which process comprises:

- (i.) providing an aerosol paint product comprising:
 - (a) a container comprising a can, a valve cup with a valve assembly, a dip tube and an actuator; and
 - (b) an aerosol paint composition disposed within said container, said aerosol paint composition comprising:

at least 30 weight percent of at least one volatile organic solvent;

at least 10 weight percent of a resin system comprising an acrylic modified alkyd resin and an acrylic modified chlorinated polyolefin resin;

at least 10 weight percent of an aerosol propellant; and

a colorant.
- (ii.) activating the valve assembly to create an aerosol spray of the aerosol paint composition;
- (iii.) directing the spray to apply the paint composition onto the substrate; and
- (iv.) allowing the paint composition to cure or dry.

Claim 15 (original) The process of claim 14 wherein the substrate is plastic.